

Our BSY packaging It is made of PBAT, a biodegradable material and PLA modified with plant starch (such as corn, sugar cane, cassava, etc.). It is non-toxic and has no odor.

It is harmless to the human body and safer to use.




















Material	Storing Period	Degradation	Degradation Time	What's left?
PBAT+PLA +Corn Starch	15-18 months	Home/Industry Compost	1-2 mouths	H ₂ O + CO ₂ 100% degradation
PE/PO+EPI	2 years+		Start rotting in 15-18 months, then become plastic particles in 24-28 months	H ₂ O + CO ₂ +Plastic Particles
PE/PO+D2W				
PE/PO+D2W +Corn Starch				
PE/PO+D2W +PLA+Corn Starch				

Common Styles To Choose

Baoshengyuan Packaging



Details Of The Bag



a biodegradable material and PLA modified with plant starch

وصف المنتج	
الحجم والسمك	مخصص بناء على متطلبات العميل
طباعة التصميم	(تصميم مخصص للطباعة بالحفر (11 لونًا كحد أقصى
خاصية	قابلة للتحلل ، الثقيلة ، والطباعة الصديقة للبيئة والكمال
مواد	ورق كرافت، إلخ + PBAT
تطبيق	طعام / شاي / قهوة / حلوى / فواكه ، إلخ
الشهادات	SGS / ISO22000: 2005 ، إلخ
عينات	عرضت عينات الأسهم الحرة ونيس .(1) 2). عينات مخصصة 5-10 أيام عمل (أرسل بواسطة اكسبرس) 3). جزء استرداد / رسوم عينة كاملة بعد تلقي الودائع

موعد التسليم	أيام عمل بعد تأكيد التصميم 40-30.
وتصنيع التصميم الشخصي OEM	نعم



Company Profile

Baoshengyuan Packaging







FACTORY PRODUCTION ADVANTAGE

More than 50 sets advanced printing machine

Baoshengyuan has more than 50 sets advanced printing machine, such as 8-color copper printing machine, the largest blown film width of 2000mm blown film machine, flexo printing machine, self-adhesive high-speed die-cutting machine.







Our company has dozens of professional production workers, can work 24 hours a day without stopping production, establish an APQP process R&D system, strictly follow the IQC-IPQC-OQC process management, and have high production capacity.







Full production line, high quality quality control, prompt delivery, all special, complex process bag type, Baoshengyuan can be produced.









Our Business Partner-

















