

Todos nuestros productos se pueden personalizar. Cualquier tamaño, forma, diseño, logotipo cumple con sus requisitos, antes de cotizarle el precio, le agradeceremos que proporcione la siguiente información:

1. Tipo de bolsa.
2. Estructura y espesor del material.
3. Aplicación del embalaje.
4. tamaño de la bolsa (ancho, largo y refuerzo).
5. El área de impresión y el color.
6. Si es posible, proporcione la imagen o el artwork del embalaje, si no está claro, lo recomendaremos para usted.

Característica:

- 1) Material reciclable Mono-PE con EVOH para un excelente rendimiento de barrera
 - 2) Estilo de bolsa de fondo plano para brindarle 360 grados de espacio para imprimir
 - 3) Brillante y mate mezclados para resaltar su logotipo
 - 4) Te sorprenderá una sensación especial de tacto áspero
 - 5) Con puntaje láser, muesca de rasgado, cremallera de presión, válvula de desgasificación
- Uso: café, bocadillos, proteína de suero, golosinas para mascotas, cereales, especias, condimentos ...



RESEALABLE. KEEPS FRESH.



Muscovado Sugar

naturally nutritious • with deep aroma & flavor



IDEAL FOR
COFFEE • COOKING • BAKING

NET WT. 35.27 OZ (1000g)



Company Profile

Baoshengyuan Packaging



FACTORY PRODUCTION ADVANTAGE

More than 50 sets advanced printing machine

Baoshengyuan has more than 50 sets advanced printing machine, such as 8-color copper printing machine, the largest blown film width of 2000mm blown film machine, flexo printing machine, self-adhesive high-speed die-cutting machine.



Our company has dozens of professional production workers, can work 24 hours a day without stopping production, establish an APQP process R&D system, strictly follow the IQC-IPQC-OQC process management, and have high production capacity.



Full production line, high quality quality control, prompt delivery, all special, complex process bag type, Baoshengyuan can be produced.



OUR CERTIFICATES

with efforts of all our employees, our factory attained ISO9001, CQM and SGS quality certifications.



Our Business Partner

